OUTDOOR LIGHTING LUMINAIRE

The **FL-720** is an outdoor LED accent light with multiple beam and shroud options. It can rotate 360° and can be tilted 180° allowing for a more precise lighting scheme. Various accessories are available for different mounting options. Made of die-cast aluminum, it is extremely durable to ensure a longer lifetime. Its optimized heat dissipation allows the luminaire to be operated in extended lengths of time. Suitable for outdoor lighting such as building facades, gardens, lawns, tree accent lighting, and common outdoor areas

SPECIFICATIONS

INPUT VOLTAGE	120V AC
WATTAGE	15W
LUMEN OUTPUT	70Lm/ W
HOUSING	Die-cast Aluminum
GASKET	Silicone Rubber
FRONT COVER	Tempered Glass
LED OPTIC	Polycarbonate Lens
FINISH TYPE	AkzoNobel Powder Coating
DRIVER TYPE	Constant Current (Built-In)
AMBIENT TEMPERATURE	-20 ~ 45°C (-4 ~ 113°F)
IP RATING	IP65
CERTIFICATIONS	ETL



	UPDATED: 09.24.24
Project	
Location	
Quote/ Pef #	



FEATURES

- 120V AC (No Transformer Needed)
- 15W
- Multiple Beam Patterns
- 360° Rotate | 180° Tilt
- Die-cast Aluminum Housing
- IP65 Outdoor/ Wet Rated
- Multiple Beam Patterns




MODEL	WATTS	COLOR TEMP	OPTICS	CRI	SHROUD	FINISH	ACCESSORIES	
FL-720	15 15W	27K 2700K 30K 3000K 40K 4000K 50K 5000K	15 15° 25° 40 40° ▲H H55° × V20° H20° × V55°	80 Ra80 90 Ra90	NS No Shroud Angled Glare Shield OS Straight Glare Shield	BLK Black WH White GR Gray Bronze SI Silver	KA Mounting Bracket A KB Mounting Bracket B KC 4.5" Round Cover JB Junction Box SHV High Voltage Ground Stake PJB Tree Strap with Junction Box	HC Honeycomb Louver MR Marine Ambient Corosion Resistant PC Pole Clamp

FL-720


OUTDOOR LIGHTING LUMINAIRE



DIMENSIONS



SHROUDS



FL-720

OUTDOOR LIGHTING LUMINAIRE



ACCESSORIES

