120V OUTDOOR LIGHTING LUMINAIRE

The **FL-730** is an outdoor LED accent light with multiplebeam and shroud options. It can rotate 360° and can be tilted 180° allowing for a more precise lighting scheme. Various accessories are available for different mounting options. Made of die-cast aluminum, it is extremely durable to ensure a longer lifetime. Its optimized heat dissipation allows the luminaire to be operated in extended lengths of time. Suitable for outdoor lighting such as building facades, gardens, lawns, tree accent lighting, and common outdoor areas.



INPUT VOLTAGE	120V AC		
WATTAGE	20W/30W/40W		
DIMMING	TRIAC		
HOUSING	Die-cast Aluminum		
GASKET	Silicone Rubber		
LENS	Tempered Glass		
FINISH TYPE	Powder Coating		
DRIVER TYPE	Constant Current (Built-In)		
DIMMING	0-10V		
AMBIENT TEMPERATURE	-20 ~ 45°C (-4 ~ 113°F)		
IP RATING	IP65		
CERTIFICATIONS	ETL		



Quote/ Ref #_____



FEATURES

- 120V AC (No Transformer Needed)
- 0-10V Dimming
- Available in 20W, 30W, and 40W
- Multiple Beam Patterns
- 360° Rotate | 180° Tilt
- Die-cast Aluminum Housing
- IP65 Outdoor/ Wet Rated

LUMENS

WATTS	30K (Lumens)	
20W	2161	
30W	2936	
40W	3958	




	1 				1 	1 1 1 1	
MODEL	WATTS	COLOR TEMP	OPTICS	SHROUD	FINISH	ACCESSORIES	DIMMING
FL-730	20 20W 30 30W 40 40W	27K 2700K 30K 3000K 40K 4000K 50K 5000K	15 15° 24 24° 36 36° 50° 50° ₩V H50° x V20°	NS No Shroud AS Angled Glare Shield OS Straight Glare Shield	BLK Black WH White GR Gray Bronze SI Silver	KC 4.5" HC Round Cover Honeycomb Louver JB Junction MR Box Marine Ambient SHV Corosion High Resistant Voltage Ground PC Stake Pole Clamp PJB Tree Strap with Junction Box	ND Non-Dimming


FL-730



120V OUTDOOR LIGHTING LUMINAIRE

DIMENSIONS





FL-730



120V OUTDOOR LIGHTING LUMINAIRE

ACCESSORIES

